

CONDUCTIVE FINGER STRIPS

CFS Shielding

Our Conductive Finger Strips are available in a wide range of profiles, a choice of two materials and six finishes. There is also a choice of a conductive self-adhesive fixing or clip on.

They have a low closing force and do not take a compression set. They have long service life with good corrosion resistance.

How to order:

Specify: Series - Style Number - Length - Finish - Plating

Examples:


CFS-0645-406mm-S/A-Bd is contact finger strip, style 0645, 406mm long, beryllium copper with self-adhesive, bright finish

CFS-0697-7.6M-S/A-Ni is contact finger strip, style 0697, 7.6 metres long, beryllium copper with self-adhesive, nickel plated

CFS-0636SS-406mm-S/A is contact finger strip, style 0636SS, 406mm long, stainless steel with self-adhesive.



SERIES	STYLE	LENGTH	FINISH	PLATING
CFS	See drawings	xxxx	S/A=Self-Adhesive N/A=No Adhesive	Bd=Bright Finish Sn=Bright Tin Ni=Bright Nickel Ag=Silver Au=Gold
* Plating is not available on stainless steel				




Nolato PPT
 Unit 12 Maldon Trade park
 The Causeway, Maldon
 CM9 4LJ

T: +44 (0)1376 550 525
 W: www.p-p-t.co.uk
 E: sales.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding


CFS 0647



material: beryllium copper

all dimensions are in mm


CFS 0649



material: beryllium copper

all dimensions are in mm


CFS 0621



material: beryllium copper

all dimensions are in mm


CFS 0650



material: beryllium copper

all dimensions are in mm


CFS 0651



material: beryllium copper

all dimensions are in mm


CFS 0654



material: beryllium copper

all dimensions are in mm


CFS 0657



material: beryllium copper

all dimensions are in mm


CFS 0658



material: beryllium copper

all dimensions are in mm

CFS 0699




material: beryllium copper

all dimensions are in mm

* FINGERS ARE TWISTED APPROXIMATELY 30°

CFS 0625




material: beryllium copper

all dimensions are in mm

* COMPRESSED DIM. ALSO AVAILABLE IN 7.6m ROLLS

CFS 0625 90




material: beryllium copper

all dimensions are in mm

* COMPRESSED DIM.

CFS 0697



material: beryllium copper

all dimensions are in mm

* COMPRESSED DIM. ALSO AVAILABLE IN 7.6m ROLLS













Nolato PPT
Unit 12 & 14
Maldon Trade Park The
Causeway, Maldon
CM9 4LJ

T: +44 1376 550525 w:
www.p-p-t.co.uk E:
sale.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding













Nolato PPT
Unit 12 Maldon Trade park
The Causeway, Maldon
CM9 4LJ

T: +44 (0)1376 550 525
W: www.p-p-t.co.uk
E: sales.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding













Nolato PPT
Unit 12 & 14
Maldon Trade Park The
Causeway, Maldon
CM9 4LJ

T: +44 1376 550525 w:
www.p-p-t.co.uk E:
sale.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding













Nolato PPT
Unit 12 Maldon Trade park
The Causeway, Maldon
CM9 4LJ

T: +44 (0)1376 550 525
W: www.p-p-t.co.uk
E: sales.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding













Nolato PPT
Unit 12 & 14
Maldon Trade Park The
Causeway, Maldon
CM9 4LJ

T: +44 1376 550525 w:
www.p-p-t.co.uk E:
sale.ppt@nolato.com

CONDUCTIVE FINGER STRIPS

CFS Shielding



Nolato PPT
Unit 12 Maldon Trade park
The Causeway, Maldon
CM9 4LJ

T: +44 (0)1376 550 525
W: www.p-p-t.co.uk
E: sales.ppt@nolato.com